

TruLife Changers



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1047

Sample ID: 2310SMAZ0167.0465
Batch #: 10

Hemp THCa Flower

Batch #: 10
Strain: 10 Blue Gusher
Parent Batch #:
Sample Collected:
Published: 10/30/2023

Sample ID: 2310SMAZ0167.0465
Amount Received: 5 g
Sample Type: Flower - Cured
Received: 10/18/2023

No Preview
Available

COMPLIANCE FOR RETAIL

Regulated Analytes

Cannabinoid Profile (Q3)
Tested

Microbial Contaminants
Not Tested

Residual Solvents
Not Tested

18.045%
Total THC

Pesticides, Fungicides,
and Growth Regulators
Pass

Mycotoxins
Not Tested

Heavy Metals
Pass

0.052%
Total CBD

Additional Analytes (Not Regulated)

Terpenes Total (Q3)
Not Tested

Moisture Analysis (Q3)
Not Tested

Water Activity (Q3)
Not Tested

ND
CBN

Filth & Foreign (Q3)
Not Tested

Homogeneity (Q3)
Not Tested

ND
CBG

22.618%
Total Cannabinoids (Q3)

Ahmed Munshi


Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



TruLife Changers



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1047

Sample ID: 23105MAZ0167.0465

Batch #: 10

Cannabinoid Profile

HPLC

Tested

Sample Prep

Batch Date: 10/18/2023

SOP: 418.AZ

Batch Number: 184

Sample Analysis

Date: 10/19/2023

SOP: 417.AZ - HPLC

Sample Weight: 0.1079 g

Volume: 40 mL

Analyte	LOD (mg/g)	LOQ (mg/g)	Dil.	Actual % (w/w)	mg/g	Qualifier
CBC	0.119	0.362	1	ND	ND	
CBD	0.119	0.362	1	ND	ND	
CBDA	0.119	0.362	1	0.059	0.593	
CBDV	0.119	0.362	1	ND	ND	
CBG	0.119	0.362	1	ND	ND	
CBGA	0.119	0.362	1	2.030	20.301	
CBN	0.119	0.362	1	ND	ND	
d8-THC	0.119	0.362	1	ND	ND	
d9-THC	0.119	0.362	1	0.241	2.412	
THCA	0.119	0.362	1	20.187	201.869	
THCV	0.119	0.362	1	ND	ND	

Cannabinoid Totals	Actual % (w/w)	mg/g	Qualifier
Total THC	18.045	180.451	
Total CBD	0.052	0.520	
Total Cannabinoids	22.618	226.176	Q3

Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

Ahmed Munshi

Technical Laboratory Director


Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



TruLife Changers



SMITHERS

CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1047

Sample ID: 2310SMAZ0167.0465

Batch #: 10

Heavy Metals

ICP-MS

Pass

Sample Prep

Batch Date: 10/19/2023

SOP: 428.AZ

Batch Number: 188

Sample Analysis

Date: 10/19/2023

SOP: 428.AZ - ICP-MS

Sample Weight: 0.2230 g

Volume: 6 mL

Analyte	LOD (ppm)	LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Arsenic	0.018	0.179	10	0.4	ND	
Cadmium	0.018	0.179	10	0.4	ND	
Lead	0.018	0.449	10	1	<LOQ	
Mercury	0.018	0.090	10	0.2	ND	

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC

734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



TruLife Changers

**CERTIFICATE OF ANALYSIS**
License #: 00000020LCVT89602592

Certificate: 1047

Sample ID: 2310SMAZ0167.0465
Batch #: 10**Pesticides, Fungicides, and
Growth Regulators**
LC-MS/MS **Pass****Sample Prep**Batch Date: 10/18/2023
SOP: 432.AZ
Batch Number: 178**Sample Analysis**Date: 10/19/2023
SOP: 424.AZ - LC-MS/MS
Sample Weight: 0.5233 g
Volume: 12.5 mL

Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier	Analyte	LOD / LOQ (ppm)	Dil.	Action Limit (ppm)	Results (ppm)	Qualifier
Abamectin B1a	0.079 / 0.239	1	0.5	ND	I1	Hexythiazox	0.160 / 0.478	1	1	ND	M2
Acephate	0.064 / 0.191	1	0.4	ND		Imazalil	0.032 / 0.096	1	0.2	ND	
Acetamiprid	0.032 / 0.096	1	0.2	ND		Imidacloprid	0.064 / 0.191	1	0.4	ND	
Aldicarb	0.064 / 0.191	1	0.4	ND		Kresoxim-methyl	0.064 / 0.191	1	0.4	ND	
Azoxystrobin	0.032 / 0.096	1	0.2	ND		Malathion	0.032 / 0.096	1	0.2	ND	
Bifenazate	0.032 / 0.096	1	0.2	ND		Metaxyl	0.032 / 0.096	1	0.2	ND	
Bifenthrin	0.032 / 0.096	1	0.2	ND	M2	Methiocarb	0.032 / 0.096	1	0.2	ND	M1
Boscalid	0.064 / 0.191	1	0.4	ND	M1	Methomyl	0.064 / 0.191	1	0.4	ND	
Carbaryl	0.032 / 0.096	1	0.2	ND		Myclobutanil	0.032 / 0.096	1	0.2	ND	M1
Carbofuran	0.032 / 0.096	1	0.2	ND		Naled	0.079 / 0.239	1	0.5	ND	
Chlorantraniliprole	0.032 / 0.096	1	0.2	ND	M1	Oxamyl	0.160 / 0.478	1	1	ND	
Chlorfenapyr	0.160 / 0.478	1	1	ND	I1, M1	Paclobutrazol	0.064 / 0.191	1	0.4	ND	M1
Chlorpyrifos	0.032 / 0.096	1	0.2	ND	M2	Permethrins	0.032 / 0.096	1	0.2	ND	I1, M2
Clofentezine	0.032 / 0.096	1	0.2	ND		Phosmet	0.032 / 0.096	1	0.2	ND	
Cyfluthrin	0.160 / 0.478	1	1	ND		Piperonyl Butoxide	0.318 / 0.955	1	2	ND	M2
Cypermethrin	0.160 / 0.478	1	1	ND	M2	Prallethrin	0.032 / 0.096	1	0.2	ND	
Daminozide	0.160 / 0.478	1	1	ND		Propiconazole	0.064 / 0.191	1	0.4	ND	
Diazinon	0.032 / 0.096	1	0.2	ND		Propoxur	0.032 / 0.096	1	0.2	ND	
Dichlorvos	0.016 / 0.048	1	0.1	ND		Pyrethrins	0.134 / 0.400	1	1	ND	I1, M1
Dimethoate	0.032 / 0.096	1	0.2	ND		Pyridaben	0.032 / 0.096	1	0.2	ND	M2
Ethoprophos	0.032 / 0.096	1	0.2	ND		Spinosad	0.032 / 0.096	1	0.2	ND	M2
Etofenprox	0.064 / 0.191	1	0.4	ND		Spiromesifen	0.032 / 0.096	1	0.2	ND	
Etoxazole	0.032 / 0.096	1	0.2	ND		Spirotetramat	0.032 / 0.096	1	0.2	ND	
Fenoxycarb	0.032 / 0.096	1	0.2	ND		Spiroxamine	0.064 / 0.191	1	0.4	ND	
Fenpyroximate	0.064 / 0.191	1	0.4	ND	M2	Tebuconazole	0.064 / 0.191	1	0.4	ND	
Fipronil	0.064 / 0.191	1	0.4	ND		Thiacloprid	0.032 / 0.096	1	0.2	ND	
Fonicamid	0.160 / 0.478	1	1	ND		Thiamethoxam	0.032 / 0.096	1	0.2	ND	
Fludioxonil	0.064 / 0.191	1	0.4	ND	M1	Trifloxystrobin	0.032 / 0.096	1	0.2	ND	M2


Ahmed Munshi

Technical Laboratory Director

*Ahmed Munshi***Smithers CTS Arizona LLC**734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930

Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>



TruLife Changers



CERTIFICATE OF ANALYSIS

License #: 00000020LCVT89602592

Certificate: 1047

Sample ID: 2310SMAZ0167.0465
Batch #: 10

Qualifier Legend

- B1** The target analyte detected in the calibration is at or above the limit of quantitation, but the sample result for potency testing, is below the limit of quantitation.
- B2** The target analyte detected in the calibration blank, or the method blank is at or above the limit of quantitation, but the sample result when testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, is below the maximum allowable concentration for the analyte.
- D1** The limit of quantitation and the sample results were adjusted to reflect sample dilution.
- I1** The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance with respect to the reference spectra, indicating interference.
- L1** When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits, but the sample's target analytes were not detected above the maximum allowable concentrations for the analytes in the sample.
- M1** The recovery from the matrix spike was high, but the recovery from the laboratory control sample was within acceptance criteria.
- M2** The recovery from the matrix spike was low, but the recovery from the laboratory control sample was within acceptance criteria.
- M3** The recovery from the matrix spike was unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample was within acceptance criteria.
- M4** The analysis of a spiked sample required a dilution such that the spike recovery calculation does not provide useful information, but the recovery from the associated laboratory control sample was within acceptance criteria.
- M5** The analyte concentration was determined by the method of standard addition, in which the standard is added directly to the aliquots of the analyzed sample.
- M6** A description of the variance is described in the final report of testing according to R9-17-404.06(B)(3)(d)(ii).
- Q1** Sample integrity was not maintained.
- Q2** The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices.
- Q3** Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317.
- R1** The relative percent difference for the laboratory control sample and duplicate exceeded the limit, but the recovery was within acceptance criteria.
- R2** The relative percent difference for a sample and duplicate exceeded the limit.
- V1** The recovery from continuing calibration verification standards exceeded the acceptance limits, but the sample's target analytes were not detected above the maximum allowable for the analytes in the sample.

Notes:

Ahmed Munshi

Technical Laboratory Director

Smithers CTS Arizona LLC
734 W Highland Avenue, 2nd Floor
Phoenix, AZ 85013
(602) 806-6930



Accreditation #: 103104

The product associated with this COA has been tested by Smithers CTS Arizona LLC, using validated state certified testing methodologies as required by Arizona state law. This COA is governed by the terms and conditions listed on: <https://www.smithers.com/arizona-terms-conditions>